



 Print  Copy  Scan  Fax  Publish

A fast finish to all
your paperwork




FS-9530DIN

RELIABLE SUPPORT FOR YOUR BUSINESS DAY (AND NIGHT).

A LONG-TERM COMMITMENT

ECOSYS is a unique guiding principle deployed by Kyocera. The combination of optimised workplace efficiency, minimised environmental impact and effortless system integration truly sets Kyocera devices apart.



ECONOMY: Total Cost of Ownership (TCO) is the true lifetime cost of a device as operating expenses can significantly exceed the original purchase price. ECOSYS devices are designed to minimise both direct costs, such as consumables, and indirect costs, such as energy usage and administration, invariably offering the lowest TCO in their class.



ECOLOGY: Kyocera's long-life technology utilises our extensive expertise in ceramics. The durable drum is integral to the printer; the only consumable is the toner cassette. ECOSYS printers consume fewer materials in manufacture, generate less waste and simplify recycling, thereby minimising environmental impact.



SYSTEM: With Kyocera ECOSYS devices, there is a wide range of enhancements designed to maximise document output productivity. Additional functionality and upgrades are available, maximising the long-term benefit of the investment. Finally, Kyocera Mita's integrated system software ensures long-term and cross-network compatibility.

Fast, efficient and reliable, Kyocera printers are always on the job. From the off hours to the peak hours and back again, the FS-9530DN is a real “work horse”, carrying you through the heaviest of loads without slowing down. The highly functional Kyocera modular design means that the printer can easily be adjusted to fit your office’s precise needs. And thanks to Kyocera’s long-life ECOSYS technology these printers have remarkably low running costs.



Large paper capacity

These printers are not only fast, they also have enough space for an input of 1,200 sheets and for 500 sheets of printouts as standard.

Standard duplex unit

The integrated duplex unit delivers precision double-sided printing and makes booklet printing a snap.



Network connectivity

The standard network connectivity offers seamless integration into your network environment.

Powerful controller

A high performance CPU lets these printers handle even the most complicated printing jobs with ease.

A world of options

These efficient stand-alone printers also come with a full range of paper tray and finishing options so that they fit seamlessly into your office environment.



SPEEDING AHEAD

Time matters. But with a printing speed of up to 51 pages per minute the FS-9530DN will accomplish any printing job, no matter how large, without any long waits. The high capacity toner kit can handle 40,000 pages, so that even with high volume printing, replacing toner is a rare occurrence. And the maintenance kit covers 500,000 prints before the next servicing is due – reducing maintenance to a minimum.

THE CAPACITY TO KEEP ON GOING

With a 200-sheet multi-purpose cassette and a 2 x 500-sheet paper feeder as standard, paper supply is not an issue for most offices. But if your office or department does printing on an even larger scale, or if you need to print on different types of paper, these printers offer easy solutions for up to 4,200 sheet capacity or up to 5 paper trays to meet your needs.

EVERYBODY'S HELPER

Kyocera printers provide easy network access for the entire office. The Kyocera KX Driver works behind the scenes to ensure smooth uncomplicated handling. In combination with the KM-NET Viewer, configuring and administering the printer or even maintaining an entire network of printers or multifunctionals can be done easily via a simple interface. Automatic email notices provide fast, accurate information on low toner levels or dwindling paper supplies.



PRINT CONTROL AND MONITORING

Every controller knows the importance of determining how your printing resources are used. By assigning department code numbers the printer can control printing access and record the number of prints produced per department or person. It is a simple and effective way of keeping your running costs on track.



EVERYTHING IS UNDER CONTROL

With a wide range of emulations including PCL6 and PostScript 3, these printers ensure fast, efficient and trouble-free printing, no matter what your office's IT environment is. Thanks to PDF direct printing you can even send PDF files over your network without converting the file or even opening Acrobat Reader. And the convenient USB host interface on the printer enables PDF direct printing from a USB Flash Memory device. That way the printout is delivered right into your hands without the danger of anyone else reading it.

PRESCRIBE IIe

Thanks to Kyocera's intuitive print controller language, hundreds of electronic forms can be stored inside your printer on a CompactFlash® or hard disk. These printers support 45 different barcode types plus the two-dimensional barcode PDF 417. Configuration files, containing all relevant settings via PRESCRIBE IIe commands, allow easy setting of your printer via the network.

A PROFESSIONAL DOCUMENT MANAGER

The simple addition of a hard disk (HD-5) can really boost your productivity, allowing the entire department to store documents on the printer electronically. The Kyocera Enhanced Multiple Printing System (eMPS) can

- work together with the data security kit so that your printer's hard drive will meet even the highest security demands.
- save commonly used documents on the printer's hard disk so that everyone in the department can share files and maintain consistency.
- give you the chance to print out and check an entire copy of your work before you give the okay for a larger print run.
- keep protected documents out of reach of unauthorised users by entering a password on the printer's operation panel.




WE FINISH WHAT YOU START

Kyocera modular design makes it easy for you to get a complete printing and finishing solution. Whether it is more storage, greater flexibility or higher capacity, there is an input option that will fit your office's needs. And there is also a variety of professional paper finishing options that will simplify your paperwork.

Base version


Two 500-sheet paper cassettes and a 200-sheet multi-purpose cassette provide a generous paper reserve.



Standard configuration

Extended base functionality


An additional paper cabinet with rollers protects your paper and is convenient when paper storage rooms are far away.



3442

Flexibility


Two additional 500-sheet paper cassettes enable fast convenient access to multiple paper types.



PF-700

High capacity


This 3,000-sheet paper feeder is ideal if your office regularly has to handle large print runs.



PF-750

Entry level


This 1,000-sheet document finisher can staple up to 30 sheets.



DF-730

High capacity



This 3,000-sheet high capacity finisher loves large print runs and staples up to 50 sheets as standard.



DF-710

Advanced finishing


Add a punch unit to prepare your documents for easy filing. And for the ultimate in finishing, add a booklet unit to create booklets of up to 64 pages.



PH-5C + BF-710

Departmental

To separate output from different users, add a convenient mailbox with 7 trays.



MT-710

MIX AND MATCH

Every office, every department, every organisation is different. That is why there is never just one printer solution for everyone. Kyocera printers, with their modular design, high productivity and reliability make it easy to find a solution that is right for you. Here are a few possible solutions:



BASE VERSION WITH CABINET

Your workgroup does a lot of printing but space is at a premium. Then add an optional cabinet with rollers (3442) to keep additional paper supplies close at hand while protecting them from dust. And with the extra cabinet your printer is at a comfortable working level that is easy on your back.

KEY FINISHING SOLUTIONS

If you work with varying paper sizes, colours or types then simply add two additional 500-sheet paper cassettes (PF-700). Now your printer has trouble-free access to up to 5 different paper sources. Add the 1,000-sheet document finisher (DF-730) and a 30-page presentation is stapled and ready to go faster than you can imagine!



DEPARTMENT FINISHING SOLUTIONS

The DF-710 finisher is the finisher of choice for large departments with large printing jobs. Add a booklet unit to handle large, multi-page documents. And if you have a department where everyone is constantly rummaging through all of the printouts to find “their” work, you can put a very neat end to that with the 7 x 100 mailbox sorter (MT-710) that sends printouts to a person’s assigned print slot.

BEYOND THE BOX

With broad international experience in printing, scanning, copying, faxing and document management, Kyocera is in a unique position to offer custom solutions that streamline the entire workflow process and maximise your return on investment from your office equipment. To achieve this, Kyocera employs its own software developers and partners with leading providers in the fields of accounting, security, document management and system management.

General

Technology:

Kyocera ECOSYS, Laser

Engine speed:

FS-9530DN: Up to Max. 51/26 pages per minute A4/A3 simplex, max. 37/17 pages per minute A4/A3 duplex

Resolution:

1,200 dpi quality (1,800 x 600)

Time to first page:

3.5 seconds

Warm-up time:

60 seconds from power on

Duty cycle:

FS-9530DN: Max. 300,000 pages per month, max. average 30,000 pages per month

Power consumption:

Printing: 900 W

Stand-by: 180 W

Power-Saving (ECOpower): 4.5 W

Noise (ISO 7779):

Printing: 56 (LwAd),

Stand-by: 39 (LwAd),

Power-Saving (ECOpower): Immeasurably low

Dimensions (W x D x H):

Main unit: 599 x 646 x 615 mm

Weight: Main unit: Approx. 68 kg

Certifications:

TÜV/GS, CE, PTS

This product is manufactured according to ISO 9001 quality standard and ISO 14001 environmental standard.

Paper handling

All paper capacities quoted are based on a paper thickness of max. 0.11 mm. Please use paper recommended by Kyocera under normal environmental conditions.

Input capacity:

2 x 500-sheet universal paper cassette, 60-105 g/m², A3, A4, A4R, A5R, B4, B5, B5R, Letter, Letter-R, Legal, Ledger, Folio, STMT

200-sheet multi-purpose cassette, 45-200 g/m², A3-A6R, Custom (88 x 148 mm to 297 x 450 mm)

Max. input capacity with optional paper feeder PF-750: 4,200 sheets

Duplex as standard supports A3, A4, A4R, A5R, B4, B5, B5R, Letter, Letter-R, Legal, Ledger, 60-80 g/m²

Output capacity:

500 sheets face-down

Controller

Processor:

PowerPC 750 / 600 MHz

Memory:

FS-9530DN: Standard 128 MB + ECOMemory, max. 640 MB (1 DIMM slot)

Emulations:

PCL6/PCL5e incl. P/L, PostScript 3™ (KPDL 3), PDF direct print, automatic emulation sensing (AES), HP-7550A (KC-GL), Line Printer, IBM Proprinter X24E, Epson LQ-850, Diablo 630

Controller language:

PRESCRIBE IIe

Fonts:

80 outline fonts (PCL), 136 PostScript Fonts, 1 bitmap font, 45 types of one-dimensional barcodes plus two-dimensional barcode PDF-417

Downloadable fonts: Kyocera, PCL + TrueType format, Type 1 + 3 format

Downloadable fonts:

Kyocera, PCL + TrueType format, Type 1 + 3 format

Print features:

eMPS – job management functionality with optional hard disk HD-5 for quick copy, proof and hold, private print and job storage

100 department codes for Accounting, PDF direct printing via USB Flash memory device, professional finishing capabilities

Interfaces

Standard interface:

Fast Ethernet 10/100Base-TX, High speed bi-directional parallel (IEEE 1284), USB 2.0 (Hi-Speed), USB Host Interface dedicated for USB Flash Memory device, KUIO-LV option interface slot

Multiple interface connection (MIC):

Allows simultaneous data transfer via up to four interfaces, with each interface having its own virtual printer.

Options

Paper handling

PF-700 Paper feeder: 2 x 500 sheets, 60-105 g/m², A3, A4, A4R, A5R, B4, B5, B5R, Letter, Letter-R, Legal, Ledger, Folio, STMT

PF-750 Paper feeder: Max. 3,000 sheets, 60-105 g/m², A4, B5, Letter

DF-710 Document finisher + AK-705*:

Main tray: Max. 3,000 sheets A4 or 1,500 sheets A3 face-down, 60-200 g/m², A3-B5,

Sub tray left: Max. 200 sheets A4 or 100 sheets A3/B4 face-up, 45-200g/m², A3-A6R,

Sub tray right: Max. 50 sheets A4 face-up, 45-200 g/m², A4-A6R,

Stapling: Max. 50 sheets A4 or 30 sheets A3, stapling at 3 positions

BF-710 Booklet unit for DF-710: Max. 64 pages (16 sheets) booklet folding and stapling, 60-80 g/m², cover sheet 60-200 g/m², A3, B4, A4R

PH-5C Punch unit for DF-710: A3-A5R, 45-200 g/m², 2-hole/4-hole

MT-710 Mailbox for DF-710: 7 bins, 60-80 g/m², A3-A5R, 7 bins x 100 sheets A4 or 50 sheets A3/B4

DF-730 Document finisher + AK-705*: Max. 1,000 sheets A4 or 500 sheets A3/B4, 64-128 g/m², A3-B5, one position stapling max. 30 sheets A4 or 20 sheets A3/B4,

64-128 g/m²

3442 Cabinet: Metal desk with storage capacity

*Adapter-Kit AK-705 is required for the use of DF-710/DF-730 document finisher.

The use of the hard disk HD-5 or extended RAM-Disk size is highly recommended to achieve full document finisher functionality.

Memory

Printer memory: 1 DDR-SDRAM DIMM slot (256 or 512 MB)

CompactFlash® card: 1 slot (up to 2 GB), forms, fonts, logos, macro storage

HD-5 Hard disk: 40 GB, storage of data, forms, fonts and job management

Data Security Kit C: Overwrite and encryption of HD-5
1 USB Host Interface (USB 1.1) for USB Flash Memory device supports PDF direct printing

Optional interface

IB-21E Network card: 10Base-T/100Base-TX

IB-11 Serial interface: RS-232C serial interface (max. 115.2 kbps)

Consumables

TK-710 Toner-kit: Microfine toner for 40,000 pages with 5% coverage (ISO/IEC 19752)

Capacity of starter toner is 20,000 pages with 5% coverage (ISO/IEC 19752)

Maintenance

MK-710 Maintenance-kit: 500,000 pages

Warranty

2-year warranty as standard. Kyocera guarantees the drum and developer for 2-year or 500,000 pages (whichever occurs sooner), provided each printer is used and cleaned in accordance with the service instructions.

Select your options to suit your needs:



ECOSYS devices are designed to minimise both direct costs and indirect costs, such as maintenance, administration and consumables. The cartridge-free system requires only the toner to be replaced. The modular design concept allows you to add workflow-enhancing functions and a wide variety of paper handling capabilities as required. Integrated system software provides long-term cross-network compatibility. Kyocera's long-life components cost you and the environment less.

In an effort to reduce future landfill pollution Kyocera has removed 6 hazardous materials from our latest products. Kyocera has implemented a totally lead free manufacturing process using lead free solder and components.



Disclaimer

Kyocera does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to print. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

System platform:

The FS-9530DN offers USB, parallel and network connectivity as standard and delivers problem-free system administration. Kyocera's single platform technology means that the same driver can be used for every Kyocera PCL/PostScript print device on the network; from single-user desktop printers to high-end multifunctional systems. Only Kyocera offers this effortless combination of IT sophistication and high-performance paper handling expertise.

PRESCRIBE IIe:

With the Kyocera page design and control language PRESCRIBE IIe, even complex graphics, logos and forms (even multipart forms) can be created independently of the system and saved and updated in the printer. Consequently, integration into print files no longer applies. They are only accessed as required and therefore relieve the load on the network.

KM-NET for Client/KM-NET Viewer:

The settings of all printers on the network can be checked visually and amended from any Windows® PC. KM-NET for Client enables easy setup and monitoring of the printer status via parallel, USB or network connection. KM-NET Viewer is an advanced printer management software tool using the standardized protocol SNMP.

Australia Sales Enquiries
1300 364 429

Australia Web Address

www.kyoceramita.com.au

New Zealand Web Address

www.kyoceramita.co.nz

Sydney Head Office

6-10 Talavera Road
North Ryde NSW 2113
Phone: (02) 9888 9999
Fax: (02) 9888 9588

Melbourne Office

Unit 2, 993 North Road
Murrumbeena VIC 3163
Phone: (03) 9579 1555
Fax: (03) 9579 1544

Brisbane Office

Cnr Forbes St & Riverside Drive
West End QLD 4101
Phone: (07) 3844 6686
Fax: (07) 3844 8569

Perth Office

104 Walters Drive
Osborne Park WA 6017
Phone: (08) 9201 9155
Fax: (08) 9201 9511

Adelaide Office

53 Rundle Street,
Kent Town SA 5067
Phone: (08) 7421 2000
Fax: (08) 7421 2001

Canberra Office

Epicorp Centre
401 Clunies Ross Street
Acton ACT 2601
Phone: (02) 6229 1729
Fax: (02) 6229 1701

New Zealand Office

1-3 Parkhead Place
Albany New Zealand
Phone: (64) 9 415 4517
Fax: (64) 9 415 4597

ABN 77 003 852 444

Kyocera is the
**Official Supporter of
Business Clean Up Day**

A SMART
ENVIRONMENTAL
CHOICE

Protection of the environment is integral to Kyocera's day-to-day operations. Research over the last few decades has been focused, not only developing the most advanced document management devices, but also doing so in harmony with the environment.

