

SAFETY DATA SHEET

SECTION 1: Identifica Product identifier	ation of the substance/mixture and of the company/undertaking
Product name	: Yellow Toner for TASKalfa 5052ci, 6052ci, 5053ci, 6053ci
Consumable name	: TK-8519Y
Relevant identified uses	s of the substance or mixture and uses advised against
Identified uses	: The image formation of our electrophotographic equipments.
	Other uses are not recommended.
Details of the supplier of	of the safety data sheet
Manufacturer	: KYOCERA Document Solutions Inc.
Address	: 1-2-28 Tamatsukuri, Chuo-ku, Osaka 540-8585, Japan
Supplier	: KYOCERA Document Solutions Australia Pty. Ltd.
Address	: Level 3, 6-10 Talavera Road,North Ryde,New South Wales 2113, Australia
Telephone number	: +61-2-9888-9999
Emergency telephone n	umber
	: 131 126 (24 hours) Poison Information Centre.

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to GHS under the WHS Regulations

: Not classified as hazardous mixture.

GHS label elements

: Not applicable.

Other hazards

See section 4 and 11 for information on health effects and symptoms. See section 9 for dust explosion information.

SECTION 3: Composition/information on ingredients

Chemical name	Identifier	Weight%
	CAS No.	
Polyester resin (3 kinds)	Confidential	70-80
Ferrite (Ferrite including manganese)	66402-68-4	5-10 (as Mn: < 2)
Organic pigment	Confidential	3-8
Amorphous silica	7631-86-9	1-5
Titanium dioxide	13463-67-7	1-5

Information of Ingredients

See section 8 for the information of occupational exposure limits.





SAFETY DATA SHEET

Description of first aid meas	ures		
Inhalation	: Remove from exposure to fresh air and gargle with plenty of water.		
	Consult a doctor in case of such symptoms as coughing.		
Skin Contact	: Wash with soap and water.		
Eye Contact	: Flush with water immediately and see a doctor if irritating.		
Ingestion	: Rinse out the mouth. Drink one or two glasses of water to dilute.		
	Seek medical treatment if necessary.		
Most important symptoms and effects, both acute and delayed			
Potential health effects and sy	mptoms		
Inhalation	: Prolonged inhalation of excessive dusts may cause lung damage.		
	Use of this product as intended does not result in prolonged inhalation of excessive toner dusts.		
Skin contact	: Unlikely to cause skin irritation.		
	: May cause transient eye irritation.		
•	: Use of this product as intended does not result in ingestion.		
•	medical attention and special treatment needed		

: No additional information available.

SECTION 5: Firefighting measures			
Extinguishing media			
Suitable extinguishing media	: Water spray, foam, powder, CO ₂ or dry chemical.		
Unsuitable extinguishing media	: None specified.		
Special hazards arising from the substance or mixture			
Hazardous combustion products	: Carbon dioxide. Carbon monoxide.		
Advice for firefighters			
Fire-fighting procedures	: Pay attention not to blow away dust.		
	Drain water off around and decrease the atmosphere temperature to extinguish the fire.		
Protective equipment for firefighters	: None specified.		

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

: Avoid inhalation, ingestion, eye and skin contact in case of accidental release. Avoid formation of dust. Provide adequate ventilation.

Environmental precautions

: Do not allow to enter into surface water or drains.

Methods and material for containment and cleaning up

Method for cleaning up : Gather the released powder not to blow away and wipe up with a wet cloth.



SAFETY DATA SHEET

SECTION 7: Handling and storage

Precautions for safe handling

- : Do not attempt to force open or destroy the toner container or unit.
- See installation guide of this product.

Conditions for safe storage, including any incompatibilities

: Keep the toner container or unit tightly closed and store in a cool, dry and dark place keeping away from fire. Keep out of the reach of children.

SECTION 8: Exposure controls/personal protection

Control parameters

(Reference data)

US ACGIH TLV (TWA)

Particles: 10 mg/m³ (Inhalable particles), 3 mg/m³ (Respirable particles) Manganese inorganic compounds (Ferrite component): 0.1 mg/m³ (Inhalable fraction), 0.02 mg/m³ (Respirable fraction) (as Mn) Titanium dioxide: 10 mg/m³

US OSHA PEL (TWA)

Particles: 15 mg/m[°] (Total dust), 5 mg/m[°] (Respirable fraction) Manganese compounds (Ferrite component): 5 mg/m[°] (Ceiling) (as Mn) Amorphous silica: 80 mg/m[°]/%SiO₂ Titanium dioxide: 15 mg/m[°] (Total dust)

Australian exposure standards : Workplace Exposure Standards for Airborne Contaminants, Appendix A Manganese compounds (Ferrite component): TWA 1 mg/m³ (as Mn) Titanium dioxide: TWA 10 mg/m³ Exposure controls

Appropriate engineering controls	: Special ventilator is not required under normal intended use.
	Use in a well ventilated area.
Personal protective equipment	: Respiratory protection, eye protection, hand protection, skin and body
	protection are not required under normal intended use.



SAFETY DATA SHEET

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state	: Solid.	
	(Fine powder)	
Color	: Yellow.	
Odor	: Odorless.	
Odor threshold	: No data availabl	e.
рН	: No data availabl	e.
Melting point	: 100-120 °C	(Toner)
Initial boiling point and boiling	g range : No data availabl	e.
Flash point	: No data availabl	e.
Evaporation rate	: No data availabl	e.
Flammability (solid, gas)	: No data availabl	e.
Upper/lower flammability or e limits	explosive : No data availabl	e.
Vapour pressure	: No data availabl	e.
Vapour density	: No data availabl	e.
Relative density	: 1.2-1.4 g/cm³	(Toner)
Solubility(ies)	: Almost insoluble	e in water.
Partition coefficient: n-octand	ol/water : No data availabl	e.
Auto-ignition temperature	: No data availabl	e.
Decomposition temperature	: No data availabl	e.
Viscosity	: No data availabl	e.
Explosive properties	: No data availabl	e.
Oxidising properties	: No data availabl	e.
Other information		
Dust explosion properties	: Dust explosion is improbable	e under normal inte
	Exportimental explosiveness	of topor is classific

Dust explosion is improbable under normal intended use. Experimental explosiveness of toner is classified into the same rank such kind of powder as flour, dry milk and resin powder according to the pressure rising speed.

SECTION 10: Stability and reactivity		
Reactivity	: No data available.	
Chemical stability	: This product is stable under normal conditions of use and storage.	
Possibility of hazardous reactions	: Hazardous reactions will not occur.	
Conditions to avoid	: None specified.	
Incompatible materials	: None specified.	
Hazardous decomposition products	: Hazardous decomposition products are not to be produced.	



SAFETY DATA SHEET

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity	
Oral (LD ₅₀)	 > 2000 mg/kg (rat) (Based on test result of similar product.) (Toner) > 2000 mg/kg (rat) (Based on test result of constituent materials.) (Carrier)
Dermal (LD ₅₀)	: No data available. (Toner) No data available. (Carrier)
Inhalation (LC_{50} (4hr))	: > 5.10 mg/l (rat) (Based on test result of similar product.) (Toner)
Skin corrosion/irritation	
Acute skin irritation	: Non-irritant (rabbit) (Based on test result of similar product.) (Toner)
	Non-irritant (rabbit) (Based on test result of constituent materials.) (Carrier)
Serious eye damage/irritation	
Acute eye irritation	: Mild irritant (rabbit)
	(Based on test result of similar product.) (Toner)
Respiratory or skin sensitisat	
Skin sensitisation	: Non-sensitiser (mouse)
	(Based on test result of similar product.) (Toner) Non-sensitiser
	(Based on test result of constituent materials.) (Carrier)
Germ cell mutagenicity	
	: Ames Test is Negative.
	(Based on test result of constituent materials.) (Toner) Ames Test is Negative.
	(Based on test result of constituent materials.) (Carrier)
Information of Ingredients	: No mutagen, according to MAK, TRGS905 and (EC) No 1272/2008 Annex VI.
Carcinogenicity	
Information of Ingredients	 No carcinogen or potential carcinogen according to IARC, Japan Association o Industrial Health, ACGIH, EPA, OSHA, NTP, MAK, California Proposition 65, TRGS 905 and (EC) No 1272/2008 Annex VI.

(except titanium dioxide)

The IARC reevaluated titanium dioxide as a Group 2B carcinogen (possibly carcinogenic to humans) as the result of inhalation exposure test in rats. But, oral/skin test does not show carcinogenicity. (*2) In the animal chronic inhalation studies for titanium dioxide, the lung tumor was observed in only rats. It is estimated that this is attributed to the overload of rat's lung clearance mechanism (overload phenomenon). (*3) The inhalation of excessive titanium dioxide dose not occur in normal use of this product. Also, epidemiological studies to date have not revealed any evidence of the relation between occupational exposure to titanium dioxide and respiratory tract diseases.

on



SAFETY DATA SHEET

Reproductive toxicity	
Information of Ingredients	 No reproductive toxicant according to MAK, California Proposition 65, TRGS905 and (EC) No 1272/2008 Annex VI.
STOT-single exposure	: No data available.
STOT-repeated exposure	: No data available.
Aspiration hazard	: No data available.
Chronic effects	 In a study in rats by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the high concentration (16 mg/m³) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animal in the middle (4 mg/m³) exposure group. (*1) But no pulmonary change was reported in the lowest (1 mg/m³) exposure group, the most relevant level to potential human exposures.
Other information	: No data available.
SECTION 12: Ecological Ecotoxicity Persistence and degradabi Bioaccumulative potential Mobility in soil Other adverse effects SECTION 13: Disposal co Waste treatment methods	 No data available. i No additional information available.
Waste treatment methods	yourself. Dangerous sparks may cause burn.
	Any disposal practice should be done under conditions which meet local, state and federal laws and regulations relating to waste (contact local or state environmental agency for specific rules).
SECTION 14: Transport i	nformation
UN number	: None.
UN proper shipping name	: None.
Transport hazard class(es)	: None.
Packing group	: None.
Environmental hazards	: None.
Special precautions for use	er : No additional information available.
	g to Annex II of MARPOL73/78 and the IBC Code
	: Not applicable.
	•••

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture US regulations

All ingredients in this product comply with order under TSCA.

Canada regulations

This product is not a WHMIS-controlled product, since we consider it as a Manufactured article.

EU regulations

This product is not classified as hazardous mixture according to Regulation (EC) No 1272/2008 (CLP).

This product does not contain substances which present a health or environmental hazard within the meaning of CLP.



SAFETY DATA SHEET

SECTION 16: Other information

To the best of our knowledge, the information contained herein is accurate. However, we cannot assume any liability whatsoever for the accuracy or completeness of the information contained herein. The contents and format of this SDS are in accordance with Model Code of Practice for Preparation of Safety Data Sheets for Hazardous Chemicals.

Revision information		SECTION 1 (Product name).
Version	-	03
Issue date		23/06/2016
Revision date	:	19/10/2018
Abbreviations and acronyms		
GHS		Globally Harmonized System of Classification and Labelling of Chemicals
CAS		Chemical Abstracts Service
WHS	:	Work Health and Safety (Australia)
ACGIH	:	American Conference of Governmental Industrial Hygienists
		2016 TLVs and BEIs (Threshold Limit Values for Chemical Substances and
		Physica Agents and Biological Exposure Indices)
OSHA		Occupational Safety and Health Administration (29 CFR Part 1910 Subpart Z)
TLV		Threshold Limit Values
PEL		Permissible Exposure Limits
TWA	:	Time Weighted Average
UN	:	United Nations
IARC	:	International Agency for Research on Cancer
		(IARC Monographs on the Evaluations of Carcinogenic Risks to Humans)
EPA	:	Environmental Protection Agency (Integrated Risk Information System) (US)
NTP	:	National Toxicology Program (Report on Carcinogens) (US)
MAK	:	Maximale Arbeitsplatz-Konzentrationen (List of MAK and BAT Values 2011)
		(DFG: Deutsche Forschungsgemeinschaft)
Proposition 65	:	California, Safe Drinking Water and Toxic Enforcement Act of 1986
TRGS905		Technische Regeln für Gefahrstoffe (Deutschland)
STOT		Specific target organ toxicity
TSCA		Toxic Substances Control Act (US)
WHMIS		Workplace Hazardous Materials Information System (Canada)
CLP		Regulation (EC) No 1272/2008 on classification, labelling and packaging of
	•	substances and mixtures
Key, l'teneture neference en el		

Key literature references and sources for data

(*1) Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats H.Muhle et.al Fundamental and Applied Toxicology 17.280-299(1991)

Lung Clearance and Retention of Toner, Utilizing a Tracer Technique, during Chronic Inhalation Exposure in Rats B.Bellmann Fundamental and Applied Toxicology 17.300-313(1991)

(*2) IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.93

(*3) NIOSH CURRENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for Occupational Exposure to Titanium Dioxide DRAFT"